App. F. IX-4

1946-47

File No. 36-46

Previous References. (Gen)

Serial Nos. 1, 3

Later References.

~~R&A Rep No 1014/56-57~~

R&A Dep No. 1037/56-57

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Two

Part B for Sept 1946

SUBJECT

proposal to stop the increment of Mr. B. R. Srinivasa Iyengar Surveyor for Six months and to write off the measurement book No 1434

P. W. 1929-30

25.9.46

To the chief Engineer for Irrigation the Comptroller of Mysore

Sanctions the

Public Works Secretariat | Issue No. | of 194 . 834 PW [App. F. III-2

Serial

Loss of Measurement Book No. 1434.

Letter No. 1184-85/E dated 13-8-1946 from the Chief Engineer for Irrigation

Measurement Book No 1434 used for recording the measurements of Constructing the Crockery shed in the Porcelain Factory Bangalore is reported to have been lost by Mr. B. R. Srinivasa Iyengar, Surveyor. The work is stated to have been completed and bills to the extent of Rs. 1,000 also passed. Under the circumstances, it remains to be settled, in particular proposed to be done by taking fresh measurements and determining the quantities and bills so far passed.

2. The loss of the measurement book is a serious irregularity, the increment of the Surveyor is stated to have been ordered to be stopped for a period of six months by the CE with a severe warning also. The CE requested sanction to write the M. B. No 1434 off the accounts.

3. In a similar case, the increment of the Officer responsible for the loss was ordered to be stopped

NOTE—Contn. Sheet.

Loss of Measurement Book no 1434.

-File No. 534 of 194 . | Public Works Secretariat

Serial No.

for a period of six months

The Proposal of the C.E.I

B/27/8/46. requires financial Concurrence.

Spro 29/8/46 The proposal may be sanctioned

(Secy) Kl/26/8

Mr. B.R. Srinivasa Aiyengar, Surveyor, is reported by the C.E. to be responsible for the loss of Measurement Book no. 1434, for recording wts of the Crockery shed in the Porcelain Factory at B'lore. The work has been completed and an intermediate bill is reported to have been paid. The final bill is proposed to be paid on the basis of the total actual work done & deducting the quantities & amounts already paid for as per the intermediate bill. C.E.I. has punished the Surveyor for the loss of the M.B which is a very serious matter, by stopping his increment for six months, which is the punishment enjoined in another similar case. The action of the C.E.I. may be approved & the M.B. said to be written off the accounts

Mr P.W. Minister (Secy) Kl/28/8/46 B 28/8

FINANCIAL SECRETARIAT D.O. 1731 31/8

OFFICE OF THE MINISTER FOR PUBLIC WORKS 4 SEP 1946 No. 1960

B 2/9 Kl/3/9/46 B 3/9

S 5/9/46 Kl/6/9/46 B 6/9

Loss of measurement books

Public Works Secretariat | File No. | of 194 . | [App. F. III-2

Serial No.

Subs with draft

Secy) 12/9

9.9.46.

11/9/46

13 9/46

C. F. No. 45]

GOVERNMENT OF MYSORE

Gw 36-46.

phone

No. 1184-85/E

Encls. - 1 C.P.

OFFICE OF

the Chief Engineer for Irrigation

in Mysore, Bangalore,

Date 13/8/46

To

The Secretary to Government,

Public Work Department,

Bangalore.

P. W. SECRETARIAT.
834
Date 15/8/46.

Sir,

Subject:- Loss of Measurement book No.1434 of Constructing the Crockery Shed in the Porcelain Factory, Bangalore.

I have the honour to state that the Measurement Book No.1434 which was under the custody of Mr. B. R. Srinivasa Iyengar, Surveyor, is reported to have been lost. The work is reported to have been completed and intermediate bills have also been paid. Final claims of the contractor are now proposed to be settled by taking total measurements and deducting the previous quantities as per the previous bills paid. The Surveyor in his written statement (a copy of which is herein enclose regrets for the loss of the Measurement Book and prays that his case may be viewed sympathetically. The Superintending Engineer, Mysore Circle has recommended that as this is the first time, the Surveyor has given rise to such dilinquency, the C.A. of the Surveyor for one month may be disallowed with a warning to be more careful in future. As the loss of the Measurement book is a serious irregularity, I have instructed the Superintending Engineer, Mysore Circle to stop the increment of the Surveyor for six months with a severe warning to be more careful in future. I request that sanction of Government to write off the Measurement book No.1434 from the Measurement Book accounts may kindly be obtained and communicated.

I have the honour to be,

Sir,

Your most obedient servant,

CHIEF ENGINEER FOR IRRIGATION.

GCS/8th.

Statement dated 6-5-1946 submitted by the Surveyor, Mr. B. R. Srinivasa Iyengar, to the Executive Engineer, Buildings Divison, Bangalore.

The measurement book under reference was in my custody and kept in my box under lock and key along with the other measurement books and bills in my charge. When a requisition was received from my successor Mr. M. Singra Iyengar Suboverseer for the above book, while my handing over charge of my section to him, a vigorous search was made in my box as also in the Sub Division and Division Offices, with unfortunate result that it could not be traced out and found missing. As the loss of the book under the circumstances cannot be accounted for, it is extreiely regretted and the same may very kindly and sympathetically coidoned, in view of this unhappy incident having occurred for the first time in my official career. The loss of the book was also in-timated to the Assistant Engineer on 6-11-45.

"COPY"

GCS/8th. CHIEF ENGINEER FOR IRRIGATION.

834 pw

G. R. S. App. F VI—G. 2]

SUBJECT..... Loss of measurement books .....

Diary No. of letter replied to ..

Section 687

File No. 36-46

Serial No. 3

General and Revenue Secretariat

) 19

Proceedings of the Government of His Highness the Maharaja of Mysore.

Date of issue 25.9.46 19

Signed by BR.

Read—

Letter No 1184-85 dated 13-8-1946 from the Chief Engr for Sanction stating that measurement book no 1634 used for recording measurement of Construction the Crockery shed in the Porcelain factory, Bangalore, has been lost by Sri. B. R. Srinivasa Iyengar, Surveyor, that the next increment of the Surveyor being stopped for a period of six months with a severe warning as a punishment thereof, and

May this be—

(i) printed?

(ii) treated as a standing order?

(iii) published in the Gazette, English Part?

(iv) translated?

(v) placed at the disposal of the Press?

(vi) published in the Gazette, Kannada Part?

Order thereon.—No. he has ordered the therefore

J

P.D.

requesting sanction to the
measurement book no 1434
being written off the accounts.
Order to view No PW 1929-30 Date 25.9.46.

The proposal to write off
~~the~~ the measurement book no 1434
~~in writing off the accounts~~ is sanctioned.

2. The action taken by the
Chief Engineer in stopping the next
increment of the surveyor for a period
of six months with a severe warning
is also approved.

KW 13/9/46.

Secy to Govt PW dept 12/9
List of Enclosures

In

The C.E. for info in
the Comptroller (Engg Branch)

Copied by

Examined by

9.9.46